

L Number	Hits	Search Text	DB	Time stamp
3	1	5586276.pn.	USPAT; US-PGPUB	2004/10/05 13:06
4	234	@pd>=19930901 and @pd<=19930930 and g06f\$.ipc.	EPO	2004/10/05 13:38
5	190	711/204.ccls.	USPAT; US-PGPUB	2004/10/05 13:39
6	269	712/233.ccls.	USPAT; US-PGPUB	2004/10/05 13:39
7	320	712/234.ccls.	USPAT; US-PGPUB	2004/10/05 13:39
8	239	712/237.ccls.	USPAT; US-PGPUB	2004/10/05 13:39
9	161	712/238.ccls.	USPAT; US-PGPUB	2004/10/05 13:39
10	368	712/239.ccls.	USPAT; US-PGPUB	2004/10/05 13:40
11	239	712/240.ccls.	USPAT; US-PGPUB	2004/10/05 13:40
-	1710	(entry line field) near6 (correspond\$3 respectiv\$3) near4 decoder	USPAT; US-PGPUB	2004/10/04 09:51
-	355	(entry line field) near6 (correspond\$3 respectiv\$3) near4 decoder and g06f\$.ipc.	USPAT; US-PGPUB	2004/10/04 09:51
-	173	(entry line field) near4 (correspond\$3 respectiv\$3) near3 decoder and g06f\$.ipc.	USPAT; US-PGPUB	2004/10/04 09:51
-	12	instruction with (entry line field) near3 (correspond\$3 respectiv\$3) near3 decoder and g06f\$.ipc.	USPAT; US-PGPUB	2004/10/04 09:52
-	24	(instruction pointer) with (entry line field) near3 (correspond\$3 respectiv\$3) near3 decoder and g06f\$.ipc.	USPAT; US-PGPUB	2004/10/04 10:05
-	19	(keller-jam\$ sharma-pun\$ schakel-kei\$ matus-fran\$).in. and (predict\$3 near3 line)	USPAT; US-PGPUB	2004/10/04 14:50
-	258	instruction with align\$4 with decoder	USPAT; US-PGPUB	2004/10/04 14:51
-	111	instruction near3 align\$4 near3 decoder	USPAT; US-PGPUB	2004/10/04 16:02
-	824	(line entry) with (field instruction) with (correspond\$3 respectiv\$3 pair\$3 match\$3) with decod\$3	USPAT; US-PGPUB	2004/10/04 16:04
-	99	(line entry) near5 (field instruction) near5 (correspond\$3 respectiv\$3 pair\$3 match\$3) near5 decod\$3	USPAT; US-PGPUB	2004/10/04 16:05
-	65	(line entry) near5 (field instruction) near5 (correspond\$3 respectiv\$3 pair\$3 match\$3) near5 decod\$3 and g06f\$.ipc.	USPAT; US-PGPUB	2004/10/04 16:22
-	205	((first near2 decoder) with (first near2 instruction)) and ((second near2 decoder) with (second near2 instruction)) and g06f\$.ipc.	USPAT; US-PGPUB	2004/10/04 16:15
-	161	((first near2 decoder) near5 (first near2 instruction)) and ((second near2 decoder) near5 (second near2 instruction)) and g06f\$.ipc.	USPAT; US-PGPUB	2004/10/04 16:16
-	35	((first adj decoder) near5 (first adj instruction)) and ((second adj decoder) near5 (second adj instruction)) and g06f\$.ipc.	USPAT; US-PGPUB	2004/10/04 16:17
-	199	(line entry) with (field instruction) with associated with decod\$3 and g06f\$.ipc.	USPAT; US-PGPUB	2004/10/04 16:22
-	44	(line entry) near5 (field instruction) near5 associated near5 decod\$3 and g06f\$.ipc.	USPAT; US-PGPUB	2004/10/04 16:23
-	6	("4680701" "5347639" "5535347" "5553276" "5758116" "5870599").PN.	USPAT	2004/10/04 16:48

L Number	Hits	Search Text	DB	Time stamp
-	35	((("5790821") or ("5809273") or ("5819059") or ("5822558") or ("5822559") or ("5822560") or ("5872943") or ("5987235") or ("6012125") or ("6332191") or ("5434985") or ("5586276") or ("5625787") or ("6122656") or ("6122727") or ("5828874") or ("5584001") or ("6256729") or ("6263427") or ("6304961") or ("4860197") or ("6279105") or ("6205546") or ("5506976") or ("4437149") or ("5101341") or ("5337415") or ("5353419") or ("5442760") or ("5488710") or ("5513330") or ("5535347") or ("5586276") or ("5625787") or ("5630082") or ("5669011") or ("5758114"))).PN.	USPAT; US-PGPUB	2003/02/21 10:08
-	4	((("5790821") or ("5809273") or ("5819059") or ("5822558") or ("5822559") or ("5822560") or ("5872943") or ("5987235") or ("6012125") or ("6332191") or ("5434985") or ("5586276") or ("5625787") or ("6122656") or ("6122727") or ("5828874") or ("5584001") or ("6256729") or ("6263427") or ("6304961") or ("4860197") or ("6279105") or ("6205546") or ("5506976") or ("4437149") or ("5101341") or ("5337415") or ("5353419") or ("5442760") or ("5488710") or ("5513330") or ("5535347") or ("5586276") or ("5625787") or ("5630082") or ("5669011") or ("5758114"))).PN.) and "line predictor" and (fetch near1 address)	USPAT; US-PGPUB	2002/09/24 15:21
-	40	"line predictor" and @ad<=19991014	USPAT; US-PGPUB	2002/09/30 15:12
-	19	((("5790821") or ("5809273") or ("5819059") or ("5822558") or ("5822559") or ("5822560") or ("5872943") or ("5987235") or ("6012125") or ("6332191") or ("5434985") or ("5586276") or ("5625787") or ("6122656") or ("6122727") or ("5828874") or ("5584001") or ("6256729") or ("6263427") or ("6304961") or ("4860197") or ("6279105") or ("6205546") or ("5506976") or ("4437149") or ("5101341") or ("5337415") or ("5353419") or ("5442760") or ("5488710") or ("5513330") or ("5535347") or ("5586276") or ("5625787") or ("5630082") or ("5669011") or ("5758114"))).PN.) and (fetch with address) and predict	USPAT; US-PGPUB	2002/09/24 13:17
-	342	(generat\$3 near5 fetch near2 (address location)) and predict\$3 and @ad<=19991014	USPAT; US-PGPUB	2002/09/24 13:20
-	235	(generat\$3 near5 fetch near2 (address location)) and (predict\$3 near5 (instruction pointer)) and @ad<=19991014	USPAT; US-PGPUB	2003/02/21 15:06
-	94	(generat\$3 near5 fetch near2 (address location)) same (predict\$3 near5 (instruction pointer)) and @ad<=19991014	USPAT; US-PGPUB	2002/09/24 13:32
-	204	712/233.ccls.	USPAT; US-PGPUB	2002/09/24 13:59
-	127	(predict\$3 with (next subsequent) with instruction) and @ad<=19991014 and fetch near2 generat\$3	USPAT; US-PGPUB	2002/09/24 14:01
-	84	instruction near3 ((cache line) with predict\$3) and (fetch with address) and @ad<=19991014	USPAT; US-PGPUB	2002/09/24 14:36

-	23	((("5790821") or ("5809273") or ("5819059") or ("5822558") or ("5822559") or ("5822560") or ("5872943") or ("5987235") or ("6012125") or ("6332191") or ("5434985") or ("5586276") or ("5625787") or ("6122656") or ("6122727") or ("5828874") or ("5584001") or ("6256729") or ("6263427") or ("6304961") or ("4860197") or ("6279105") or ("6205546") or ("5506976") or ("4437149") or ("5101341") or ("5337415") or ("5353419") or ("5442760") or ("5488710") or ("5513330") or ("5535347") or ("5586276") or ("5625787") or ("5630082") or ("5669011") or ("5758114")).PN.) and pointer	USPAT; US-PGPUB	2002/09/24 15:23
-	11	((("5790821") or ("5809273") or ("5819059") or ("5822558") or ("5822559") or ("5822560") or ("5872943") or ("5987235") or ("6012125") or ("6332191") or ("5434985") or ("5586276") or ("5625787") or ("6122656") or ("6122727") or ("5828874") or ("5584001") or ("6256729") or ("6263427") or ("6304961") or ("4860197") or ("6279105") or ("6205546") or ("5506976") or ("4437149") or ("5101341") or ("5337415") or ("5353419") or ("5442760") or ("5488710") or ("5513330") or ("5535347") or ("5586276") or ("5625787") or ("5630082") or ("5669011") or ("5758114")).PN.) and pointers	USPAT; US-PGPUB	2002/09/24 15:39
-	130	predict\$3 with CAM	USPAT; US-PGPUB	2002/09/24 15:40
-	16	"line predictor" and @ad<=19991014 and "pointers"	USPAT; US-PGPUB	2002/09/24 16:16
-	4	(US-5504870-\$ or US-5954816-\$ or US-4894772-\$ or US-5987235-\$).did.	USPAT	2002/09/24 16:20
-	1	((US-5504870-\$ or US-5954816-\$ or US-4894772-\$ or US-5987235-\$).did.) and pointer	USPAT; US-PGPUB	2002/09/24 16:23
-	15	predict\$3 same (entry with (multiple and (addresses pointers))) and @ad<19991014	USPAT; US-PGPUB	2002/09/24 16:25
-	5	predict\$3 with (entry with (multiple with (addresses pointers))) and @ad<19991014	USPAT; US-PGPUB	2002/09/24 16:47
-	13	predict\$3 with (entry with (multiple several) with (addresses pointers instructions)) and @ad<19991014	USPAT; US-PGPUB	2002/09/24 16:49
-	51	instruction with ((cache near1 line) near3 predict\$3) and @ad<=19991014	USPAT; US-PGPUB	2002/09/25 08:56
-	5	(instruction with ((cache near1 line) near3 predict\$3)) same (pointer) and @ad<=19991014	USPAT; US-PGPUB	2002/09/25 09:11
-	42	predict\$3 with (entry with (instruction and pointer)) and @ad<=19991014	USPAT; US-PGPUB	2002/09/25 09:17
-	5	(plurality near1 instruction near1 pointer and entry) and @ad<=19991014	USPAT; US-PGPUB	2002/09/25 09:20
-	23	((plurality multiple) near1 instruction near1 pointer) and @ad<=19991014	USPAT; US-PGPUB	2002/09/25 09:24
-	74	((("pointers" near1 instruction) near3 cache) and @ad<=19991014	USPAT; US-PGPUB	2002/09/25 09:31
-	5	((("pointers" near1 "instructions") with align\$4) and @ad<=19991014	USPAT; US-PGPUB	2002/09/25 09:34

-	35	(US-5434985-\$ or US-5353419-\$ or US-5337415-\$ or US-5101341-\$ or US-5669011-\$ or US-5630082-\$ or US-5625787-\$ or US-5586276-\$ or US-5584001-\$ or US-5535347-\$ or US-5513330-\$ or US-5506976-\$ or US-5488710-\$ or US-5442760-\$ or US-4860197-\$ or US-4437149-\$ or US-6205546-\$ or US-6122727-\$ or US-6122656-\$ or US-6012125-\$ or US-5987235-\$ or US-5872943-\$ or US-5828874-\$ or US-5822560-\$ or US-5822559-\$ or US-5822558-\$).did. or (US-5819059-\$ or US-5809273-\$ or US-5790821-\$ or US-5758114-\$ or US-6332191-\$ or US-6304961-\$ or US-6279105-\$ or US-6263427-\$ or US-6256729-\$).did.	USPAT	2002/09/25 09:51
-	29	(US-5434985-\$ or US-5353419-\$ or US-5337415-\$ or US-5101341-\$ or US-5669011-\$ or US-5630082-\$ or US-5625787-\$ or US-5586276-\$ or US-5584001-\$ or US-5535347-\$ or US-5513330-\$ or US-5506976-\$ or US-5488710-\$ or US-5442760-\$ or US-4860197-\$ or US-4437149-\$ or US-6205546-\$ or US-6122727-\$ or US-6122656-\$ or US-6012125-\$ or US-5987235-\$ or US-5872943-\$ or US-5828874-\$ or US-5822560-\$ or US-5822559-\$ or US-5822558-\$).did. or (US-5819059-\$ or US-5809273-\$ or US-5790821-\$ or US-5758114-\$ or US-6332191-\$ or US-6304961-\$ or US-6279105-\$ or US-6263427-\$ or US-6256729-\$).did. and (Witt.in. Tran.in.)	USPAT	2002/09/25 09:51
-	9	"line predictor" and @ad<=19991014 and (Witt.in. Tran.in.)	USPAT; US-PGPUB	2002/09/25 09:57
-	190	(Witt.in. Tran.in.) and branch and predict\$3	USPAT; US-PGPUB	2002/09/25 09:58
-	16	(Witt.in. Tran.in.) and (branch and predict\$3).ti.	USPAT; US-PGPUB	2002/09/25 09:58
-	13	Witt-David.in. Tran-Thang.in.	USPAT; US-PGPUB	2002/09/25 14:00
-	2	Witt-David.in.	USPAT; US-PGPUB	2002/09/25 14:01
-	114	Witt.in. and 7??/???.ccls.	USPAT; US-PGPUB	2002/09/25 14:01
-	96	Witt.in. and 7??/???.ccls. and advanced and micro and devices	USPAT; US-PGPUB	2002/09/25 14:33
-	39	Witt.in. and 7??/???.ccls. and advanced and micro and devices and @pd<=19991014	USPAT; US-PGPUB	2002/09/25 14:36
-	65	Tran.in. and 7??/???.ccls. and advanced and micro and devices and @pd<=19991014	USPAT; US-PGPUB	2002/09/25 14:46
-	107	(issue adj position) with decode and @ad<=19991014 and (Witt.in. Tran.in.)	USPAT; US-PGPUB	2002/09/25 16:30
-	46	bits with (way adj predict\$3) same cache	USPAT; US-PGPUB	2002/09/25 16:47
-	36	((way adj predict\$3) with bits) same (set adj associative)	USPAT; US-PGPUB	2002/09/25 16:40
-	17	(bits same (way adj prediction)) not (advanced and micro and devices) and @ad<=19991014	USPAT; US-PGPUB	2002/09/25 16:49
-	162	(way adj predict\$3) and (advanced adj micro adj devices) and @ad<=19991014	USPAT; US-PGPUB	2002/09/26 08:05
-	2	multiple with (way adj predict\$3) and (advanced adj micro adj devices) and @ad<=19991014	USPAT; US-PGPUB	2002/09/26 08:15
-	700	(way adj predict\$3) not (advanced adj micro adj devices) and @ad<=19991014	USPAT; US-PGPUB	2002/09/26 08:15

-	9	(multiple with (way adj predict\$3)) not (advanced adj micro adj devices) and @ad<=19991014	USPAT; US-PGPUB	2002/09/26 08:15
-	26	(control near2 information) same byte and (different near2 page)	USPAT; US-PGPUB	2002/09/26 08:42
-	157	instruction with (different near2 page)	USPAT; US-PGPUB	2002/09/26 10:34
-	56	(cache near2 (line entry) near2 predict\$3) not (advanced adj micro adj devices) and @ad<=19991014	USPAT; US-PGPUB	2002/09/26 11:56
-	553	(different adj page) same memory and @ad<=19991014	USPAT; US-PGPUB	2002/09/26 13:13
-	33	(instruction with (different adj page) same memory) and @ad<=19991014	USPAT; US-PGPUB	2002/09/26 13:20
-	23	(instruction with (page near3 (cross\$3 continuat\$3)) same memory) and @ad<=19991014	USPAT; US-PGPUB	2002/09/26 13:32
-	29	cache same page same cross same control and @ad<=19991014	USPAT; US-PGPUB	2002/09/26 13:36
-	13	((("2" two multiple plurality) adj way adj predict\$3) and @ad<=19991014	USPAT; US-PGPUB	2002/09/26 13:36
-	8	("4777594" "4860197" "4894772" "4912635" "4984154" "5193156" "5226005" "5230068").PN.	USPAT	2002/09/26 14:20
-	8	("4777594" "4860197" "4894772" "4912635" "4984154" "5193156" "5226005" "5230068").PN.	USPAT	2002/09/26 15:02
-	11	CAM with address with index with RAM	USPAT; US-PGPUB	2002/09/26 16:12
-	13	CAM with address with index with RAM	USPAT; US-PGPUB	2002/09/26 16:41
-	135	711/204.ccls.	USPAT; US-PGPUB	2002/09/26 16:41
-	63	711/204.ccls. and page and instruction	USPAT; US-PGPUB	2002/09/26 16:42
-	2	multiple adj way adj predictions and Tran.in.	USPAT; US-PGPUB	2002/09/30 09:41
-	40	CAM with index with RAM and @ad<=19991014	USPAT; US-PGPUB	2002/09/30 15:04
-	63	cross\$3 with page with boundar\$3 with instruction and @ad<=19991014	USPAT; US-PGPUB	2002/09/30 11:21
-	11	linear with virtual with address same lookaside and @ad<=19991014	USPAT; US-PGPUB	2002/09/30 11:22
-	2	((CAM with index with RAM) same skip) and @ad<=19991014	USPAT; US-PGPUB	2002/09/30 15:05
-	35	(US-5828874-\$ or US-6332191-\$ or US-6304961-\$ or US-6279105-\$ or US-6263427-\$ or US-6256729-\$ or US-6205546-\$ or US-6122727-\$ or US-6122656-\$ or US-6012125-\$ or US-5987235-\$ or US-5872943-\$ or US-5586276-\$ or US-5584001-\$ or US-5535347-\$ or US-5669011-\$ or US-5758114-\$ or US-5790821-\$ or US-5809273-\$ or US-5819059-\$ or US-5822558-\$ or US-5822559-\$ or US-5822560-\$ or US-5506976-\$ or US-5513330-\$ or US-5442760-\$).did. or (US-5488710-\$ or US-5434985-\$ or US-5353419-\$ or US-5625787-\$ or US-5630082-\$ or US-5337415-\$ or US-5101341-\$ or US-4860197-\$ or US-4437149-\$).did.	USPAT	2002/09/30 15:06

-	6	((US-5828874-\$ or US-6332191-\$ or US-6304961-\$ or US-6279105-\$ or US-6263427-\$ or US-6256729-\$ or US-6205546-\$ or US-6122727-\$ or US-6122656-\$ or US-6012125-\$ or US-5987235-\$ or US-5872943-\$ or US-5586276-\$ or US-5584001-\$ or US-5535347-\$ or US-5669011-\$ or US-5758114-\$ or US-5790821-\$ or US-5809273-\$ or US-5819059-\$ or US-5822558-\$ or US-5822559-\$ or US-5822560-\$ or US-5506976-\$ or US-5513330-\$ or US-5442760-\$).did. or (US-5488710-\$ or US-5434985-\$ or US-5353419-\$ or US-5625787-\$ or US-5630082-\$ or US-5337415-\$ or US-5101341-\$ or US-4860197-\$ or US-4437149-\$).did.) and CAM	USPAT; US-PGPUB	2002/09/30 15:06
-	8	"line predictor" and CAM and @ad<=19991014	USPAT; US-PGPUB	2002/09/30 15:13
-	152	CAM with RAM and inhibit and @ad<=19991014	USPAT; US-PGPUB	2002/09/30 15:13
-	4	CAM with RAM with inhibit and @ad<=19991014	USPAT; US-PGPUB	2002/09/30 15:15
-	8	CAM with RAM with (inhibit disable) and @ad<=19991014	USPAT; US-PGPUB	2002/09/30 15:23
-	1	((("5,280,449").PN.) and CAM and RAM and (disable inhibit)	USPAT; US-PGPUB	2002/09/30 16:07
-	11	CAM with RAM with (inhibit disabl\$5) and @ad<=19991014	USPAT; US-PGPUB	2002/09/30 15:23
-	16	compare with (portion subset) with address with CAM and @ad<=19991014	USPAT; US-PGPUB	2002/09/30 16:33
-	1	5563833.pn.	USPAT; US-PGPUB	2002/09/30 16:17
-	1	5563833.pn. and CAM with address	USPAT; US-PGPUB	2002/09/30 16:17
-	1	5563833.pn. and CAM with address with (portion part subset)	USPAT; US-PGPUB	2002/09/30 16:18
-	27	CAM adj expensive and @ad<=19991014	USPAT; US-PGPUB	2002/09/30 16:50
-	81	"linear address" with "virtual address" and @ad<=19991014	USPAT; US-PGPUB	2002/09/30 18:23
-	25	"linear address" with "virtual address" same x86 and @ad<=19991014	USPAT; US-PGPUB	2002/09/30 18:24
-	1	6332191.pn.	USPAT; US-PGPUB	2002/10/01 09:17
-	2	5367703.pn. 5794028.pn.	USPAT; US-PGPUB	2003/02/21 10:08
-	704	predict\$3 and (cache near2 line) and align\$4 and @ad<=19991014	USPAT; US-PGPUB	2003/02/21 15:07
-	313	(predict\$3 same (cache near2 line)) and align\$4 and @ad<=19991014	USPAT; US-PGPUB	2003/02/21 15:08
-	250	(predict\$3 same (cache near2 line)) and (align\$4 with instruction) and @ad<=19991014	USPAT; US-PGPUB	2003/02/21 15:09
-	16	("4370711" "4430706" "4435756" "4722046" "4755966" "4763245" "4764861" "4777594" "4811215" "4853840" "4860197" "4894772" "4942520" "5093778" "5136696" "5142634").PN.	USPAT	2003/02/24 07:54
-	47	5283873.URPN.	USPAT	2003/02/24 07:59
-	35	((virtual with physical) with address) with translate with TLB and @ad<=19991014	USPAT; US-PGPUB	2003/02/24 11:38
-	227	712/234.ccls. and @ad<=19991014	USPAT; US-PGPUB	2003/02/24 14:50
-	157	712/237.ccls. and @ad<=19991014	USPAT; US-PGPUB	2003/02/24 14:50
-	124	712/238.ccls. and @ad<=19991014	USPAT; US-PGPUB	2003/02/24 14:50

-	251	712/239.ccls. and @ad<=19991014	USPAT;	2003/02/24
-	167	712/240.ccls. and @ad<=19991014	US-PGPUB	14:51
-	117	keller-jame\$.in.	USPAT;	2003/02/24
-	12	cach\$3 with alignment with pointer	US-PGPUB	14:51
-	1	5845101.pn.	USPAT;	2003/08/21
-	193	(cach\$3 table memory) with instruction near3 alignment near3 (pointer information)	US-PGPUB	10:05
-	179	(cach\$3 table memory) with instruction near2 alignment near2 (pointer information)	USPAT;	2003/08/21
-	2	(cach\$3 table memory) near3 instruction near2 alignment near2 (pointer information)	US-PGPUB	10:30
-	6	(cach\$3 table memory) near5 instruction near2 alignment near2 (pointer information)	USPAT;	2003/08/21
-	195	cach\$3 with alignment near2 information	US-PGPUB	11:23
-	20	cach\$3 with alignment near1 information	USPAT;	2003/08/21
-	15	cach\$3 near4 alignment near2 information	US-PGPUB	10:32
-	230	cach\$3 with alignment with information	USPAT;	2003/08/21
-	11	(instruction with type with last) same cache	US-PGPUB	10:32
-	35	(cache near3 (line entry)) with (type near3 instruction)	USPAT;	2003/08/21
-	1	5828895.pn.	US-PGPUB	10:33
-	8	(single adj instruction) with ((multiple plurality) near3 cache near2 (lines entries))	USPAT;	2003/08/21
-	14	(instruction) with span with ((multiple plurality) near3 cache near2 (lines entries))	US-PGPUB	10:37
-	16	instruction with span\$4 with ((multiple plurality) near3 cache near2 (lines entries))	USPAT;	2003/08/21
-	0	cache with "perfect alignment"	US-PGPUB	10:38
-	1	cache with "perfectly aligned"	USPAT;	2003/08/21
-	0	cache with "aligned perfectly"	US-PGPUB	10:39
-	1	cache same perfec\$3 near3 align\$4	USPAT;	2003/08/21
-	276	cache with instruction with bytes with align\$4	US-PGPUB	10:39
-	150	cache with instruction with bytes with aligned	USPAT;	2003/08/21
-	1	6546478.pn.	US-PGPUB	10:39
-	106	tran.in. and alignment same decod\$3	USPAT;	2003/08/21
-	15	tran.in. and alignment same decod\$3 same predetermined	US-PGPUB	10:39
-	5	"decode unit 24D" same MROM	USPAT;	2003/08/21
-	123	pointer with correspond\$3 with decod\$3	US-PGPUB	2003/08/21
-	20	instruction with pointer with correspond\$3 with decod\$3	USPAT;	2003/08/21
-	37	(pointer with correspond\$3 with decod\$3) not (instruction with pointer with correspond\$3 with decod\$3) and g06f\$.ipc.	US-PGPUB	2003/08/21

-	29	dec0 and g06f\$.ipc.	USPAT; US-PGPUB	2004/01/22 16:13
-	23	dec3 and g06f\$.ipc.	USPAT; US-PGPUB	2004/01/22 16:14
-	23	instructions with cache with line with program with order	USPAT; US-PGPUB	2004/01/23 10:30